EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	69710	(((message$1 or messag$3 or chat$3) with (updat$3 with record$1 or table$1 or queue$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:41
L2	72616	(((message$1 or messag$3 or chat$3 or email$1 or email$3) with (updat$3 with record$1 or table$1 or queue$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:41
L3	10856	(((message$1 or messag$3 or chat$3 or email$1 or email$3) with updat$3 with (record$1 or table$1 or queue$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:41
L4	6147	3 and (@ad<"19990115" or @rlad<"199901015")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:42
L5	580	(((message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3)) same (updat$3 with (record$1 or table$1 or queue$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:43
L6	46	(((message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3)) same (updat$3 with (record$1 or table$1 or queue$1) with state$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:46
L7	140	(((message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3 or access$3)) same (updat$3 with (record$1 or table$1 or queue$1) with state$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:46
L8	4	(6442600|6282564).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:47

L9	71	7 and (@ad<"19990115" or @rlad<"199901015")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:51
L10	37	(((message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3 or access$3)) same (updat$3 with (record$1 or table$1 or queue$1) with state$1)) and ((track$3 or monitor$3) with (message$1 or messag$3 or chat$3 or email$1 or email$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:52
L11	71	7 and (@ad<"19990114" or @rlad<"199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:53
L12	26	10 and (@ad<"19990114" or @rlad<"199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:53
L13	19	(((message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3 or access$3)) same ((updat$3 or chang$3 or alter$5 or modif$7) with (record$1 or table$1 or queue$1 or field$1) with state$1) same (track$3 or monitor$3) with (message$1 or messag$3 or chat$3 or email$1 or email$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:54
L14	10	13 and (@ad<"19990114" or @rlad<"199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:54

L15	116	((message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3 or access$3)) and (((updat$3 or chang$3 or alter$5 or modif $7) with (record$1 or table$1 or queue$1 or field$1) with state$1 with (message$1 or messag$3 or chat$3 or email $1 or email$3)) same (track$3 or monitor$3) with (message $1 or messag$3 or chat$3 or email$1 or email$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:59
L16	87	15 and (@ad<"19990114" or @rlad<"199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 18:59
L17	14	((((message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3 or access$3)) same ((updat$3 or chang$3 or alter$5 or modif $7) with (record$1 or table$1 or queue$1 or field$1) with state$1 with (message$1 or messag$3 or chat$3 or email $1 or email$3)) same (track$3 or monitor$3) with (message $1 or messag$3 or chat$3 or email$1 or email$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:00
L18	14	((((message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3 or access$3)) same ((updat$3 or chang$3 or alter$5 or modif $7) with (record$1 or table$1 or queue$1 or field$1) with state$1 with (message$1 or messag$3 or chat$3 or email $1 or email$3)) same ((track $3 or monitor$3) with (message$1 or messag$3 or chat$3 or email$1 or email $3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:00

L19	6	((updat$3 or chang$3 or alter$5 or modif$7) with (record$1 or table$1 or queue$1 or field$1) with state$1 with (message$1 or messag$3 or chat$3 or email$1 or email$3)) same ((track$3 or monitor$3) with (message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3 or delet$4 or access$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:01
L20	4	19 and (@ad< "19990114" or @rlad< "199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:01
L21	3446	((updat$3 or chang$3 or alter$5 or modif$7) with (record$1 or table$1 or queue$1 or field$1) with (message$1 or messag$3 or chat$3 or email$1 or email$3) with (view$3 or open$3 or delet$4 or access$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:02
L22	1954	21 and (@ad< "19990114" or @rlad< "199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:03
L23	8	((updat$3 or chang$3 or alter$5 or modif$7) with (record$1 or table$1 or queue$1 or field$1) with state$1 with (message$1 or messag$3 or chat$3 or email$1 or email$3)) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:04
L24	8	((updat$3 or chang$3 or alter$5 or modif$7) with (record$1 or table$1 or queue$1 or field$1) with state$1 with (message$1 or messag$3 or chat$3 or email$1 or email$3)) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:04

L25	8	((updat$3 or chang$3 or alter$5 or modif$7) with (record$1 or table$1 or queue$1 or field$1) with state$1 with (message$1 or messag$3 or chat$3 or email$1 or email$3)) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3 or click$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:05
L26	298	((updat$3 or chang$3 or alter$5 or modif$7) with (record$1 or table$1 or queue$1 or field$1) with (message$1 or messag$3 or chat$3 or email$1 or email$3)) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3 or click$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:05
L27	180	26 and (@ad<"19990114" or @rlad<"199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:07
L28	43	27 and ("709"/$.ccls. or "707"/$.ccls. or ("709"/$.ccls. and "707"/$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:08
L29	298	((updat$3 or chang$3 or alter$5 or modif$7) with ((message near2 state near2 field$1) or (record$1 or table$1 or queue$1 or field$1)) with (message$1 or messag$3 or chat$3 or email$1 or email$3)) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3 or click$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:09
L30	180	27 and (@ad<"19990114" or @rlad<"199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:09
L31	43	30 and ("709"/$.ccls. or "707"/$.ccls. or ("709"/$.ccls. and "707"/$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:09

L32	2	"6442600".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:29
L33	24	"6442600".UREF.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:30
L34	7	33 and (@ad<"19990114" or @rlad<"199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:30
L35	7	33 and (@ad<"19990114" or @rlad<"199901014") and (updat$3 or chang$3 or modif$7 or alter$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:34
L36	334	((updat$3 or chang$3 or alter$5 or modif$7) with ((message near2 state near2 field$1) or (record$1 or table$1 or queue$1 or field$1 or sender$1)) with (message$1 or messag$3 or chat$3 or email$1 or email$3)) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3 or click$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:43
L37	0	((updat$3 or chang$3 or alter$5 or modif$7) adj ((message near2 state near2 field$1) or (record$1 or table$1 or queue$1 or field$1 or sender$1)) adj (message$1 or messag$3 or chat$3 or email$1 or email$3)) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3 or click$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:44
L38	747	((updat$3 or chang$3 or alter$5 or modif$7) adj ((message near2 state near2 field$1) or (record$1 or table$1 or queue$1 or field$1 or sender$1))) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3 or click$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:45

L39	3647	((updat$3 or chang$3 or alter$5 or modif$7) near3 ((message near2 state near2 field$1) or (record$1 or table$1 or queue$1 or field$1 or sender$1))) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3 or click$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:45
L40	270	((updat$3 or chang$3 or alter$5 or modif$7) with ((message near2 state near2 field$1) or (record$1 or table$1 or queue$1 or field$1 or sender$1)) same ((track$3 or monitor$3) with (view$3 or open$3 or delet$4 or access$3 or click$1) with (message$1 or messag$3 or chat$3 or email$1 or email$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:46
L41	164	40 and (@ad<"19990114" or @rlad<"199901014")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:46
L42	54	41 and ("709"/$.ccls. or "707"/$.ccls. or ("709"/$.ccls. and "707"/$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:47
L43	62	40 and (@ad<"19990114" or @rlad<"19990114")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:48
L44	23	43 and ("709"/$.ccls. or "455"/$.ccls. or "707"/$.ccls. or ("709"/$.ccls. and "707"/$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 19:48

EAST Search History (Interference)

<This search history is empty>

11/6/2009 8:01:42 PM
C:\ Documents and Settings\ bto\ My Documents\ EAST\ Workspaces\ 09265489.wsp